

Release of Liability/Assumption of Risk/Non-agency Acknowledgement Form

GENERAL TRAINING

Please read carefully and fill in all blanks before signing.

Non-Agency Disclosure and Acknowledgment Agreement

training, but are not agents, employees or franchisees of PADI Americas, Inc, that Member business activities are independent, and are neither owned nor training programs, it is not responsible for, nor does it have the right to cont of PADI programs and supervision of divers by the Members or their associ	articipating, are licensed to use various PADI Trademarks and to conduct PADI or its parent, subsidiary and affiliated corporations ("PADI"). I further understand operated by PADI, and that while PADI establishes the standards for PADI diver rol, the operation of the Members' business activities and the day-to-day conduct ated staff. I further understand and agree on behalf of myself, my heirs and my my estate shall seek to hold PADI liable for the actions, inactions or negligence of
Liability Release and Ass	umption of Risk Agreement
I,, hereby affirm that I ar injury or death.	n aware that skin and scuba diving have inherent risks which may result in serious
air expansion injury that require treatment in a recompression chamber. I furth	cluding but not limited to decompression sickness, embolism or other hyperbaric/ er understand that the open water diving trips which are necessary for training and tance or both, from such a recompression chamber. I still choose to proceed with hamber in proximity to the dive site.
I understand and agree that neither my instructor(s),	nor PADI Americas, Inc., nor its affiliate and subsidiary corporations, nor any of referred to as "Released Parties") may be held liable or responsible in any way for that may occur as a result of my participation in this diving program or as a result e or active.
	venture Dive), hereinafter referred to as "program," I hereby personally assume all ile I am a participant in this program including, but not limited to, the academics,
I further release, exempt and hold harmless said program and Released Partie of my enrollment and participation in this program including both claims arising	s from any claim or lawsuit by me, my family, estate, heirs or assigns, arising out ng during the program or after I receive my certification.
	activities and that I will be exerting myself during this program, and that if I am ner cause, that I expressly assume the risk of said injuries and that I will not hold
understand the terms herein are contractual and not a mere recital, and that I have	ty release, or that I have acquired the written consent of my parent or guardian. I ave signed this Agreement of my own free act and with the knowledge that I hereby ement is found to be unenforceable or invalid, that provision shall be severed from ough the unenforceable provision had never been contained herein.
	sed Parties but also any rights my heirs, assigns, or beneficiaries may have to sue thority to do so and that my heirs, assigns, or beneficiaries will be estopped from
	THIS INSTRUMENT AGREE TO EXEMPT AND RELEASE MY INSTRUCTORS, _, THE FACILITY THROUGH WHICH I RECEIVE MY INSTRUCTION, D PADI AMERICAS, INC. AND ALL RELATED ENTITIES AS DEFINED ABOVE, IL INJURY, PROPERTY DAMAGE OR WRONGFUL DEATH HOWEVER CAUSED,
INCLUDING BUT NOT LIMITED TO THE NEGLIGENCE OF THE RELEASED I HAVE FULLY INFORMED MYSELF AND MY HEIRS OF THE CONTENTS OF	PARTIES, WHETHER PASSIVE OR ACTIVE. F THIS NON-AGENCY DISCLOSURE AND ACKNOWLDGEMENT AGREEMENT.
	EADING BOTH BEFORE SIGNING BELOW ON BEHALF OF MYSELF AND MY
Participant Signature	Date (Day/Month/Year)
Signature of Parent of Guardian (where applicable)	Date (Day/Month/Year)



STANDARD SAFE DIVING PRACTICES STATEMENT OF UNDERSTANDING

Please read carefully before signing.

This is a statement in which you are informed of the established safe diving practices for skin and scuba diving. These practices have been compiled for your review and acknowledgement and are intended to increase your comfort and safety in diving. Your signature on this statement is required as proof that you are aware of these safe diving practices. Read and discuss the statement prior to signing it. If you are a minor, this form must also be signed by a parent or guardian.

١,	,	, understand that as a diver I sho	ould:
•	(Print Nama)		

- 1. Maintain good mental and physical fitness for diving. Avoid being under the influence of alcohol or dangerous drugs when diving. Keep proficient in diving skills, striving to increase them through continuing education and reviewing them in controlled conditions after a period of diving inactivity, and refer to my course materials to stay current and refresh myself on important information.
- 2. Be familiar with my dive sites. If not, obtain a formal diving orientation from a knowledgeable, local source. If diving conditions are worse than those in which I am experienced, postpone diving or select an alternate site with better conditions. Engage only in diving activities consistent with my training and experience. Do not engage in cave or technical diving unless specifically trained to do so.
- 3. Use complete, well-maintained, reliable equipment with which I am familiar; and inspect it for correct fit and function prior to each dive. Have a buoyancy control device, low-pressure buoyancy control inflation system, submersible pressure gauge and alternate air source and dive planning/monitoring device (dive computer, RDP/dive tables—whichever you are trained to use) when scuba diving. Deny use of my equipment to uncertified divers.
- 4. Listen carefully to dive briefings and directions and respect the advice of those supervising my diving activities. Recognize that additional training is recommended for participation in specialty diving activities, in other geographic areas and after periods of inactivity that exceed six months.
- 5. Adhere to the buddy system throughout every dive. Plan dives including communications, procedures for reuniting in case of separation and emergency procedures with my buddy.
- 6. Be proficient in dive planning (dive computer or dive table use). Make all dives no decompression dives and allow a margin of safety. Have a means to monitor depth and time underwater. Limit maximum depth to my level of training and experience. Ascend at a rate of not more than 18 metres/60 feet per minute. Be a SAFE diver Slowly Ascend From Every dive. Make a safety stop as an added precaution, usually at 5 metres/15 feet for three minutes or longer.
- 7. Maintain proper buoyancy. Adjust weighting at the surface for neutral buoyancy with no air in my buoyancy control device. Maintain neutral buoyancy while underwater. Be buoyant for surface swimming and resting. Have weights clear for easy removal, and establish buoyancy when in distress while diving. Carry at least one surface signaling device (such as signal tube, whistle, mirror).
- 8. Breathe properly for diving. Never breath-hold or skip-breathe when breathing compressed air, and avoid excessive hyperventilation when breath-hold diving. Avoid overexertion while in and underwater and dive within my limitations.
- 9. Use a boat, float or other surface support station, whenever feasible.
- 10. Know and obey local dive laws and regulations, including fish and game and dive flag laws.

have read the above statements and have had any questions answered to my satisfaction. I understand the importance and pur-
poses of these established practices. I recognize they are for my own safety and well-being, and that failure to adhere to them can
place me in jeopardy when diving.

Participant's Signature	Date (Day/Month/Year)
Signature of Parent or Guardian (where applicable)	Date (Day/Month/Year)

I affirm I am the parent and/or legal guardian of	NAME OF MINOR
As the parent/guardian, I hereby authorize	
agents, employees or assigns, to seek medical treatment for	
as a result of an accident or illness while under the supervision of	(MINOR)
	(DIVE CENTER/RESORT/INSTRUCTOR)
I authorize the treatment of	, by a qualified and
licensed physician in the event of a medical emergency which, in the op disfigurement, physical impairment or undue discomfort if delayed.	
I affirm I have read the Liability Release and Assumption of Risk form quences of signing the document.	n, signed it of my own free will, and understand the legal conse-
I have fully informed myself of the contents of this Emergency Treatme	ent Consent Form by reading it before I signed it.
PARENT/GUARDIAN (PLEASE PRINT)	DD / MM / YY
SIGNATURE OF PARENT/GUARDIAN	HOME PHONE
ADDRESS	WORK PHONE
ADDRESS	
Specific medical allergies, medicine being taken or other conditions phy	sician should be aware of (if none, please write NONE):
Medical Insurance Company:	
Policy Number:	







MEDICAL STATEMENT

Participant Record (Confidential Information)

Please read carefully before signing.

This is a statement in which you are informed of some potential risks involved in scuba diving and of the conduct required of you during the scuba training program. Your signature on this statement is required for you to participate in the scuba training program offered

Бу	Instructor	current cold or congestion, epilepsy, a severe medical problem or who under the influence of alcohol or drugs should not dive. If you have
	located in the Facility	asthma, heart disease, other chronic medical conditions or you are taing medications on a regular basis, you should consult your doctor ar
city of	f, state/province of	the instructor before participating in this program, and on a regular bathereafter upon completion. You will also learn from the instructor the
enroll this S	Read this statement prior to signing it. You must complete this cal Statement, which includes the medical questionnaire section, to in the scuba training program. If you are a minor, you must have tatement signed by a parent or guardian. Diving is an exciting and demanding activity. When performed city, applying correct techniques, it is relatively safe. When	important safety rules regarding breathing and equalization while scu diving. Improper use of scuba equipment can result in serious injury. You must be thoroughly instructed in its use under direct supervision a qualified instructor to use it safely. If you have any additional questions regarding this Medical Statement or the Medical Questionnaire section, review them with yo instructor before signing.
	vers Medical Questionnaire Participant:	
The purined by responsive while of	urpose of this Medical Questionnaire is to find out if you should be examy your doctor before participating in recreational diver training. A positive use to a question does not necessarily disqualify you from diving. A positive use means that there is a preexisting condition that may affect your safety diving and you must seek the advice of your physician prior to engaging in ctivities.	Please answer the following questions on your past or present medical history with a YES or NO . If you are not sure, answer YES . If any of these items app to you, we must request that you consult with a physician prior to participating scuba diving. Your instructor will supply you with an RSTC Medical Statement and Guidelines for Recreational Scuba Diver's Physical Examination to take to your physician.
	Could you be pregnant, or are you attempting to become pregnant?	Dysentery or dehydration requiring medical intervention?
	Are you presently taking prescription medications? (with the exception of	Any dive accidents or decompression sickness?
	birth control or anti-malarial) Are you over 45 years of age and can answer YES to one or more of the	Inability to perform moderate exercise (example: walk 1.6 km/one mile within 12 mins.)?
	following?	Head injury with loss of consciousness in the past five years?
	currently smoke a pipe, cigars or cigaretteshave a high cholesterol level	Recurrent back problems?
	have a family history of heart attack or stroke	Back or spinal surgery?
	 are currently receiving medical care high blood pressure	Diabetes?
	diabetes mellitus, even if controlled by diet alone	Back, arm or leg problems following surgery, injury or fracture?
Have	e you ever had or do you currently have	High blood pressure or take medicine to control blood pressure?
	Asthma, or wheezing with breathing, or wheezing with exercise?	Heart disease?
	Frequent or severe attacks of hayfever or allergy?	Heart attack?
	Frequent colds, sinusitis or bronchitis?	Angina, heart surgery or blood vessel surgery?
	Any form of lung disease?	Sinus surgery?
		Ear disease or surgery, hearing loss or problems with balance?
		Recurrent ear problems?
	Behavioral health, mental or psychological problems (Panic attack, fear of closed or open spaces)?	Bleeding or other blood disorders?
	Epilepsy, seizures, convulsions or take medications to prevent them?	Hernia?
	Recurring complicated migraine headaches or take medications to pre-	Ulcers or ulcer surgery ?

established safety procedures are not followed, however, there are increased risks.

To scuba dive safely, you should not be extremely overweight or out of condition. Diving can be strenuous under certain conditions. Your respiratory and circulatory systems must be in good health. All body air spaces must be normal and healthy. A person with coronary disease, a , epilepsy, a severe medical problem or who is ohol or drugs should not dive. If you have her chronic medical conditions or you are taklar basis, you should consult your doctor and cipating in this program, and on a regular basis n. You will also learn from the instructor the arding breathing and equalization while scuba cuba equipment can result in serious injury. structed in its use under direct supervision of e it safely.

scuba o	we must request that you consult with a physician prior to participating diving. Your instructor will supply you with an RSTC Medical Statement idelines for Recreational Scuba Diver's Physical Examination to take to hysician.
	Dysentery or dehydration requiring medical intervention?
	Any dive accidents or decompression sickness?
	Inability to perform moderate exercise (example: walk 1.6 km/one mile within 12 mins.)?
	Head injury with loss of consciousness in the past five years?
	Recurrent back problems?
	Back or spinal surgery?
	Diabetes?
	Back, arm or leg problems following surgery, injury or fracture?
	High blood pressure or take medicine to control blood pressure?
	Heart disease?
	Heart attack?
	Angina, heart surgery or blood vessel surgery?
	Sinus surgery?
	Ear disease or surgery, hearing loss or problems with balance?
	Recurrent ear problems?
	Bleeding or other blood disorders?
	Hernia?
	Ulcers or ulcer surgery ?
	A colostomy or ileostomy?
	Recreational drug use or treatment for, or alcoholism in the past five

The information I have provided about my medical history is accurate to the best of my knowledge. I agree to accept responsibility for omissions regarding my failure to disclose any existing or past health condition.

Signature Date Signature of Parent or Guardian Date

years?

Blackouts or fainting (full/partial loss of consciousness)?

Frequent or severe suffering from motion sickness (seasick, carsick,

STUDENT

Please print legibly. Mailing Address _____ State/Province/Region ____ Country ___ Zip/Postal Code) Home Phone (Business Phone (FAX Email Name and address of your family physician Clinic/Hospital Physician Address Date of last physical examination _____ Name of examiner______ Clinic/Hospital_____ Address Email Phone (Were you ever required to have a physical for diving? ☐ Yes ☐ No If so, when?_____ **PHYSICIAN** This person applying for training or is presently certified to engage in scuba (self-contained underwater breathing apparatus) diving. Your opinion of the applicant's medical fitness for scuba diving is requested. There are guidelines attached for your information and reference. **Physician's Impression** ☐ I find no medical conditions that I consider incompatible with diving. ☐ I am unable to recommend this individual for diving. Remarks Date _____ Physician's Signature or Legal Representative of Medical Practitioner Physician_____ Clinic/Hospital_____ Address _____ Email _____ Phone (

Guidelines for Recreational Scuba Diver's Physical Examination

Instructions to the Physician:

Recreational **SCUBA** (Self-Contained Underwater Breathing Apparatus) can provide recreational divers with an enjoyable sport safer than many other activities. The risk of diving is increased by certain physical conditions, which the relationship to diving may not be readily obvious. Thus, it is important to screen divers for such conditions.

The RECREATIONAL SCUBA DIVER'S PHYSICAL EXAMINATION focuses on conditions that may put a diver at increased risk for decompression sickness, pulmonary overinflation syndrome with subsequent arterial gas embolization and other conditions such as loss of consciousness, which could lead to drowning. Additionally, the diver must be able to withstand some degree of cold stress, the physiological effects of immersion and the optical effects of water and have sufficient physical and mental reserves to deal with possible emergencies.

The history, review of systems and physical examination should include as a minimum the points listed below. The list of conditions that might adversely affect the diver is not all-inclusive, but contains the most commonly encountered medical problems. The brief introductions should serve as an alert to the nature of the risk posed by each medical problem.

The potential diver and his or her physician must weigh the pleasures to be had by diving against an increased risk of death or injury due to the individual's medical condition. As with any recreational activity, there are no data for diving enabling the calculation of an accurate mathematical probability of injury. Experience and physiological principles only permit a qualitative assessment of relative risk.

For the purposes of this document, **Severe Risk** implies that an individual is believed to be at substantially elevated risk of decompression sickness, pulmonary or otic barotrauma or altered consciousness with subsequent drowning, compared with the general population. The consultants involved in drafting this document would generally discourage a student with such medical problems from diving. **Relative Risk** refers to a moderate increase in risk, which in some instances may be acceptable. To make a decision as to whether diving is contraindicated for this category of medical problems, physicians must base their judgement on an assessment of the individual patient. Some medical problems which may preclude diving are **temporary** in nature or responsive to treatment, allowing the student to dive safely after they have resolved.

Diagnostic studies and specialty consultations should be obtained as indicated to determine the diver's status. A list of references is included to aid in clarifying issues that arise. Physicians and other medical professionals of the Divers Alert Network (DAN) associated with Duke University Health System are available for consultation by phone +1 919 684 2948 during normal business hours. For emergency calls, 24 hours 7 days a week, call +1 919 684 8111 or +1 919 684 4DAN (collect). Related organizations exist in other parts of the world – DAN Europe in Italy +39 039 605 7858, DAN S.E.A.P. in Australia +61 3 9886 9166 and Divers Emergency Service (DES) in Australia +61 8 8212 9242, DAN Japan +81 33590 6501 and DAN Southern Africa +27 11 242 0380. There are also a number of informative websites offering similar advice.

NEUROLOGICAL

Neurological abnormalities affecting a diver's ability to perform exercise should be assessed according to the degree of compromise. Some diving physicians feel that conditions in which there can be a waxing and waning of neurological symptoms and signs, such as migraine or demyelinating disease, contraindicate diving because an exacerbation or attack of the preexisting disease (e.g.: a migraine with aura) may be difficult to distinguish

from neurological decompression sickness. A history of head injury resulting in unconsciousness should be evaluated for risk of seizure.

Relative Risk Conditions

- Complicated Migraine Headaches whose symptoms or severity impair motor or cognitive function, neurologic manifestations
- · History of Head Injury with sequelae other than seizure
- Herniated Nucleus Pulposus
- Intracranial Tumor or Aneurysm
- Peripheral Neuropathy
- Multiple Sclerosis
- Trigeminal Neuralgia
- · History of spinal cord or brain injury

Temporary Risk Condition

History of cerebral gas embolism without residual where pulmonary air trapping has been excluded and for which there is a satisfactory explanation and some reason to believe that the probability of recurrence is low.

Severe Risk Conditions

Any abnormalities where there is a significant probability of unconsciousness, hence putting the diver at increased risk of drowning. Divers with spinal cord or brain abnormalities where perfusion is impaired may be at increased risk of decompression sickness.

Some conditions are as follows:

- · History of seizures other than childhood febrile seizures
- History of Transient Ischemic Attack (TIA) or Cerebrovascular Accident (CVA)
- History of Serious (Central Nervous System, Cerebral or Inner Ear) Decompression Sickness with residual deficits

CARDIOVASCULAR SYSTEMS

Relative Risk Conditions

The diagnoses listed below potentially render the diver unable to meet the exertional performance requirements likely to be encountered in recreational diving. These conditions may lead the diver to experience cardiac ischemia and its consequences. Formalized stress testing is encouraged if there is any doubt regarding physical performance capability. The suggested minimum criteria for stress testing in such cases is at least 13 METS.* Failure to meet the exercise criteria would be of significant concern. Conditioning and retesting may make later qualification possible. Immersion in water causes a redistribution of blood from the periphery into the central compartment, an effect that is greatest in cold water. The marked increase in cardiac preload during immersion can precipitate pulmonary edema in patients with impaired left ventricular function or significant valvular disease. The effects of immersion can mostly be gauged by an assessment of the diver's performance while swimming on the surface. A large proportion of scuba diving deaths in North America are due to coronary artery disease. Before being approved to scuba dive, individuals older than 40 years are recommended to undergo risk assessment for coronary artery disease. Formal exercise testing may be needed to assess the risk.

* METS is a term used to describe the metabolic cost. The MET at rest is one, two METS is two times the resting level, three METS is three times the resting level, and so on. The resting energy cost (net oxygen requirement) is thus standardized. (Exercise Physiology; Clark, Prentice Hall, 1975.)

Relative Risk Conditions

- History of Coronary Artery Bypass Grafting (CABG)
- Percutaneous Balloon Angioplasty (PCTA) or Coronary Artery Disease (CAD)
- History of Myocardial Infarction
- Congestive Heart Failure
- Hypertension
- History of dysrythmias requiring medication for suppression
- Valvular Regurgitation

Pacemakers

The pathologic process that necessitated should be addressed regarding the diver's fitness to dive. In those instances where the problem necessitating pacing does not preclude diving, will the diver be able to meet the performance criteria?

* NOTE: Pacemakers must be certified by the manufacturer as able to withstand the pressure changes involved in recreational diving.

Severe Risks

Venous emboli, commonly produced during decompression, may cross major intracardiac right-to-left shunts and enter the cerebral or spinal cord circulations causing neurological decompression illness. Hypertrophic cardiomyopathy and valvular stenosis may lead to the sudden onset of unconsciousness during exercise.

PULMONARY

Any process or lesion that impedes airflow from the lungs places the diver at risk for pulmonary overinflation with alveolar rupture and the possibility of cerebral air embolization. Many interstitial diseases predispose to spontaneous pneumothorax: Asthma (reactive airway disease), Chronic Obstructive Pulmonary Disease (COPD), cystic or cavitating lung diseases may all cause air trapping. The 1996 Undersea and Hyperbaric Medical Society (UHMS) consensus on diving and asthma indicates that for the risk of pulmonary barotrauma and decompression illness to be acceptably low, the asthmatic diver should be asymptomatic and have normal spirometry before and after an exercise test. Inhalation challenge tests (e.g.: using histamine, hypertonic saline or methacholine) are not sufficiently standardized to be interpreted in the context of scuba diving.

A pneumothorax that occurs or reoccurs while diving may be catastrophic. As the diver ascends, air trapped in the cavity expands and could produce a tension pneumothorax.

In addition to the risk of pulmonary barotrauma, respiratory disease due to either structural disorders of the lung or chest wall or neuromuscular disease may impair exercise performance. Structural disorders of the chest or abdominal wall (e.g.: prune belly), or neuromuscular disorders, may impair cough, which could be life threatening if water is aspirated. Respiratory limitation due to disease is compounded by the combined effects of immersion (causing a restrictive deficit) and the increase in gas density, which increases in proportion to the ambient pressure (causing increased airway resistance). Formal exercise testing may be helpful.

Relative Risk Conditions

- History of Asthma or Reactive Airway Disease (RAD)*
- History of Exercise Induced Bronchospasm (EIB)*
- History of solid, cystic or cavitating lesion*
- Pneumothorax secondary to:
 - -Thoracic Surgery
 - -Trauma or Pleural Penetration*
 - -Previous Overinflation Injury*

- Obesity
- History of Immersion Pulmonary Edema Restrictive Disease*
- Interstitial lung disease: May increase the risk of pneumothorax
- * Spirometry should be normal before and after exercise

Active Reactive Airway Disease, Active Asthma, Exercise Induced Bronchospasm, Chronic Obstructive Pulmonary Disease or history of same with abnormal PFTs or a positive exercise challenge are concerns for diving.

Severe Risk Conditions

- History of spontaneous pneumothorax. Individuals who
 have experienced spontaneous pneumothorax should avoid
 diving, even after a surgical procedure designed to prevent
 recurrence (such as pleurodesis). Surgical procedures either
 do not correct the underlying lung abnormality (e.g.: pleurodesis, apical pleurectomy) or may not totally correct it (e.g.: resection of blebs or bullae).
- Impaired exercise performance due to respiratory disease.

GASTROINTESTINAL

Temporary Risks

As with other organ systems and disease states, a process which chronically debilitates the diver may impair exercise performance. Additionally, dive activities may take place in areas remote from medical care. The possibility of acute recurrences of disability or lethal symptoms must be considered.

Temporary Risk Conditions

- Peptic Ulcer Disease associated with pyloric obstruction or severe reflux
- Unrepaired hernias of the abdominal wall large enough to contain bowel within the hernia sac could incarcerate.

Relative Risk Conditions

- Inflammatory Bowel Disease
- Functional Bowel Disorders

Severe Risks

Altered anatomical relationships secondary to surgery or malformations that lead to gas trapping may cause serious problems. Gas trapped in a hollow viscous expands as the divers surfaces and can lead to rupture or, in the case of the upper GI tract, emesis. Emesis underwater may lead to drowning.

Severe Risk Conditions

- Gastric outlet obstruction of a degree sufficient to produce recurrent vomiting
- Chronic or recurrent small bowel obstruction
- · Severe gastroesophageal reflux
- Achalasia
- Paraesophageal Hernia

ORTHOPAEDIC

Relative impairment of mobility, particularly in a boat or ashore with equipment weighing up to 18 kgs/40 pounds must be assessed. Orthopaedic conditions of a degree sufficient to impair exercise performance may increase the risk.

Relative Risk Conditions

- Amputation
- Scoliosis must also assess impact on respiratory function and exercise performance.
- Aseptic Necrosis possible risk of progression due to effects of decompression (evaluate the underlying medical

cause of decompression may accelerate/escalate the progression).

Temporary Risk Conditions

Back pain

HEMATOLOGICAL

Abnormalities resulting in altered rheological properties may theoretically increase the risk of decompression sickness. Bleeding disorders could worsen the effects of otic or sinus barotrauma, and exacerbate the injury associated with inner ear or spinal cord decompression sickness. Spontaneous bleeding into the joints (e.g.: in hemophilia) may be difficult to distinguish from decompression illness.

Relative Risk Conditions

- Sickle Cell Disease
- · Polycythemia Vera
- Leukemia
- · Hemophilia/Impaired Coagulation

METABOLIC AND ENDOCRINOLOGICAL

With the exception of diabetes mellitus, states of altered hormonal or metabolic function should be assessed according to their impact on the individual's ability to tolerate the moderate exercise requirement and environmental stress of sport diving. Obesity may predispose the individual to decompression sickness, can impair exercise tolerance and is a risk factor for coronary artery disease.

Relative Risk Conditions

- Hormonal Excess or Deficiency
- Obesity
- · Renal Insufficiency

Severe Risk Conditions

The potentially rapid change in level of consciousness associated with hypoglycemia in diabetics on insulin therapy or certain oral hypoglycemic medications can result in drowning. Diving is therefore generally contraindicated, unless associated with a specialized program that addresses these issues.

Pregnancy: The effect of venous emboli formed during decompression on the fetus has not been thoroughly investigated. Diving is therefore not recommended during any stage of pregnancy or for women actively seeking to become pregnant.

BEHAVIORAL HEALTH

Behavioral: The diver's mental capacity and emotional make-up are important to safe diving. The student diver must have sufficient learning abilities to grasp information presented to him by his instructors, be able to safely plan and execute his own dives and react to changes around him in the underwater environment. The student's motivation to learn and his ability to deal with potentially dangerous situations are also crucial to safe scuba diving.

Relative Risk Conditions

- Developmental delay
- · History of drug or alcohol abuse
- · History of previous psychotic episodes
- Use of psychotropic medications

Severe Risk Conditions

 Inappropriate motivation to dive – solely to please spouse, partner or family member, to prove oneself in the face of

personal fears

- · Claustrophobia and agoraphobia
- Active psychosis
- · History of untreated panic disorder
- · Drug or alcohol abuse

OTOLARYNGOLOGICAL

Equalisation of pressure must take place during ascent and descent between ambient water pressure and the external auditory canal, middle ear and paranasal sinuses. Failure of this to occur results at least in pain and in the worst case rupture of the occluded space with disabling and possible lethal consequences.

The inner ear is fluid filled and therefore noncompressible. The flexible interfaces between the middle and inner ear, the round and oval windows are, however, subject to pressure changes. Previously ruptured but healed round or oval window membranes are at increased risk of rupture due to failure to equalise pressure or due to marked overpressurisation during vigorous or explosive Valsalva manoeuvres.

The larynx and pharynx must be free of an obstruction to airflow. The laryngeal and epiglotic structure must function normally to prevent aspiration.

Mandibular and maxillary function must be capable of allowing the patient to hold a scuba mouthpiece. Individuals who have had mid-face fractures may be prone to barotrauma and rupture of the air filled cavities involved.

Relative Risk Conditions

- · Recurrent otitis externa
- · Significant obstruction of external auditory canal
- · History of significant cold injury to pinna
- · Eustachian tube dysfunction
- · Recurrent otitis media or sinusitis
- · History of TM perforation
- History of tympanoplasty
- · History of mastoidectomy
- Significant conductive or sensorineural hearing impairment
- Facial nerve paralysis not associated with barotrauma
- Full prosthedontic devices
- · History of mid-face fracture
- · Unhealed oral surgery sites
- History of head and/or neck therapeutic radiation
- History of temperomandibular joint dysfunction
- · History of round window rupture

Severe Risk Conditions

- Monomeric TM
- Open TM perforation
- Tube myringotomy
- History of stapedectomy
- · History of ossicular chain surgery
- · History of inner ear surgery
- Facial nerve paralysis secondary to barotrauma
- · Inner ear disease other than presbycusis
- Uncorrected upper airway obstruction
- Laryngectomy or status post partial laryngectomy
- Tracheostomy
- Uncorrected laryngocele
- · History of vestibular decompression sickness

BIBLIOGRAPHY/REFERENCE

- Bennett, P. & Elliott, D (eds.)(1993). The Physiology and Medicine of Diving. 4th Ed., W.B. Saunders Company Ltd., London, England.
- 2. Bove, A., & Davis, J. (1990). *Diving Medicine*. 2nd Edition, W.B. Saunders Company, Philadelphia, PA.
- Davis, J., & Bove, A. (1986). "Medical Examination of Sport Scuba Divers, Medical Seminars, Inc.," San Antonio, TX
- 4. Dembert, M. & Keith, J. (1986). "Evaluating the Potential Pediatric Scuba Diver." AJDC, Vol. 140, November.
- Edmonds, C., Lowry, C., & Pennefether, J. (1992) .3rd ed., Diving and Subaquatic Medicine. Butterworth & Heineman Ltd., Oxford, England.
- Elliott, D. (Ed) (1994). "Medica Assessment of Fitness to Dive." Proceedings of an International Conference at the Edinburgh Conference Centre, Biomedical Seminars, Surry, England.
- "Fitness to Dive," Proceedings of the 34th Underwater & Hyperbaric Medical Society Workshop (1987) UHMS Publication Number 70(WS-FD) Bethesda, MD.

- Neuman, T. & Bove, A. (1994). "Asthma and Diving Ann. Allergy, Vol. 73, October, O'Conner & Kelsen.
- Shilling, C. & Carlston, D. & Mathias, R. (eds) (1984). The Physician's Guide to Diving Medicine. Plennum Press, New York, NY.
- Undersea and Hyperbaric Medical Society (UHMS) www.UHMS.org
- Divers Alert Network (DAN) United States, 6 West Colony Place, Durham, NC <u>www.DiversAlertNetwork.org</u>
- Divers Alert Network Europe, P.O. Box 64026 Roseto, Italy, telephone non-emergency line: weekdays office hours +39-085-893-0333, emergency line 24 hours: +39-039-605-7858
- Divers Alert Network S.E.A.P., P. O. Box 384, Ashburton, Australia, telephone 61-3-9886-9166
- Divers Emergency Service, Australia, <u>www.rah.sa.gov.au/hyper-baric</u>, telephone 61-8-8212-9242
- South Pacific Underwater Medicine Society (SPUMS), P.O. Box 190, Red Hill South, Victoria, Australia, <u>www.spums.org.au</u>
- 16. European Underwater and Baromedical Society, www.eubs.org

ENDORSERS

Paul A. Thombs, M.D., Medical Director Hyperbaric Medical Center St. Luke's Hospital, Denver, CO, USA

Peter Bennett, Ph.D., D.Sc. Professor, Anesthesiology Duke University Medical Center Durham, NC, USA pbennett@dan.duke.edu

Richard E. Moon, M.D., F.A.C.P., F.C.C.P. Departments of Anesthesiology and Pulmonary Medicine Duke University Medical Center Durham, NC, USA

Roy A. Myers, M.D. MIEMS Baltimore, MD, USA

William Clem, M.D., Hyperbaric Consultant Division Presbyterian/St. Luke's Medical Center Denver, CO, USA

John M. Alexander, M.D. Northridge Hospital Los Angeles, CA, USA

Des Gorman, B.Sc., M.B.Ch.B., F.A.C.O.M., F.A.F.O.M., Ph.D.
Professor of Medicine
University of Auckland, Auckland, NZ
d.gorman@auckland.ac.nz

Alf O. Brubakk, M.D., Ph.D.

Norwegian University of Science and Technology
Trondheim, Norway
alfb@medisin.ntnu.no

Alessandro Marroni, M.D. Director, DAN Europe Roseto, Italy Hugh Greer, M.D. Santa Barbara, CA, USA hdgblgfpl@aol.com Christopher J. Acott, M.B.B.S., Dip. D.H.M., F.A.N.Z.C.A. Physician in Charge, Diving Medicine Royal Adelaide Hospital Adelaide, SA 5000, Australia

Chris Edge, M.A., Ph.D., M.B.B.S., A.F.O.M. Nuffield Department of Anaesthetics Radcliffe Infirmary Oxford, United Kingdom cjedge@diver.demon.co.uk

Richard Vann, Ph.D. Duke University Medical Center Durham, NC, USA

Keith Van Meter, M.D., F.A.C.E.P. Assistant Clinical Professor of Surgery Tulane University School of Medicine New Orleans, LA, USA

Robert W. Goldmann, M.D. St. Luke's Hospital Milwaukee, WI, USA

Paul G. Linaweaver, M.D., F.A.C.P. Santa Barbara Medical Clinic Undersea Medical Specialist Santa Barbara, CA, USA

James Vorosmarti, M.D. 6 Orchard Way South Rockville, MD, USA

Tom S. Neuman, M.D., F.A.C.P., F.A.C.P.M. Associate Director, Emergency Medical Services Professor of Medicine and Surgery University of California at San Diego San Diego, CA, USA

Yoshihiro Mano, M.D. Professor Tokyo Medical and Dental University Tokyo, Japan y.mano.ns@tmd.ac.jp Simon Mitchell, MB.ChB., DipDHM, Ph.D. Wesley Centre for Hyperbaric Medicine Medical Director Sandford Jackson Bldg., 30 Chasely Street Auchenflower, QLD 4066 Australia smitchell@wesley.com.au

Jan Risberg, M.D., Ph.D. NUI, Norway

Karen B.Van Hoesen, M.D. Associate Clinical Professor UCSD Diving Medicine Center University of California at San Diego San Diego, CA, USA

Edmond Kay, M.D., F.A.A.F.P. Dive Physician & Asst. Clinical Prof. of Family Medicine University of Washington Seattle, WA, USA ekay@u.washington.edu

Christopher W. Dueker, TWS, M.D. Atherton, CA, USA chrisduek@aol.com

Charles E. Lehner, Ph.D.
Department of Surgical Sciences
University of Wisconsin
Madison, WI, USA
celehner@facstaff.wisc.edu

Undersea & Hyperbaric Medical Society 10531 Metropolitan Avenue Kensington, MD 20895, USA

Diver's Alert Network (DAN) 6 West Colony Place Durham, NC 27705

Welcome -

Exploring the underwater world is both fun and serious.

Scuba diving is enjoyed by millions of people all over the world.

Scuba Diving requires:

- Some physical fitness
- Ability to solve problems that come up
- Emotional maturity

You should have good general health and be comfortable in and around the water to scuba dive.



Like any adventurous activity, there are potential risks in scuba diving. However, these are well known and easy to avoid by following some simple rules.

Possible risks specific to scuba diving include:

- Problems with your ears
- Drowning and breathing-in water
- Getting cold in the water
- Lung over-expansion injury

It is important to follow some simple rules to avoid injury, which, although unlikely, could be serious, even fatal.

You will learn these rules during your scuba diving program.

When you follow these rules and suggestions, scuba diving is a reasonably safe and fun activity.

Roles and Responsibilities

PADI's Role: to provide the best training materials and educational support possible.

PADI Instructor's Role: to supervise your training, follow PADI's guidelines and provide as safe a diving experience as possible.

Parent's Responsibility: to help evaluate your medical, physical and emotional readiness to participate in scuba diving.

- If you or your parents know of any medical problems you may have, you'll need to see a medical doctor before scuba diving.
- The PADI Medical Statement will help you, your parents and the doctor review your medical fitness to participate.

Your Responsibility: to understand and put to use the following six *ACTION* steps during your scuba diving adventure.





ATTENTION

- Pay attention, listen and follow the rules.
- Diving is exciting and you can become distracted, but stay focused on your instructor and the assistants.
- Be sure to follow the rules covered by your instructor to help lower your risks and increase your fun.
- Failure to follow these rules can lead to serious injury, even fatality.

COMMUNICATION

- If you don't understand something, or get confused, ask your instructor.
- Your instructor is there to help and to answer your questions.
- Don't be shy, it's important for you to understand.
- You may find that other people have the same questions you have!





TAKE CARE OF YOUR EQUIPMENT

- We were not born to live underwater. That's why we have to use scuba equipment.
- Without properly cared for equipment, you increase your risks and make it harder to dive safely and comfortably.
- It's very important that all your equipment is designed for scuba diving and fits you properly.
- Be sure to take care of your equipment every time you use it.





- Inform your instructor of how you feel.
- Tell your instructor if you're cold, tired, having a problem or don't understand something.
- You'll learn hand signals so you can "talk" with your instructor underwater.



OBSERVE

- Observe how your instructor does things and follow the example.
- Watch where your instructor is and be sure to watch for signals and direction.





NOW HAVE FUN!

- Don't forget to have fun!
- Scuba diving is a serious activity and there are risks involved. But you can manage these risks and avoid injury by following the simple <u>ACTION</u> steps.
- Paying careful attention to proper training and instruction will teach you how to avoid injury and reduce the risk of hurting yourself.
- So take <u>ACTION</u> and have a great time. The fun has just begun!





Youth Diving: Responsibility and Risks Acknowledgment

(Please read carefully, fill in all blanks, and	l sign and date below.)	
I/we,have viewed and understand the Youth Di- have been advised and thoroughly informa- participant. These risks may include, but a sinuses and ears, drowning, panic and oth bilities, as parent and participant (child), in responsibilities.	ed that diving is an adventure sport wit are not limited to, pressure related inju- er serious injury or death. We also und	ch inherent risks to the ries affecting the lungs, erstand our responsi-
As the parent/guardian of the minor child, to evaluate whether my/our child should part knowledge of the mental, physical and em I/we understand and agree it is my/our responding my/our child's medical history a	participate in scuba activities. Our decotional abilities of our child, as well as sponsibility to discuss with a physician	ision is based upon our his/her medical history.
I/we understand and agree that it is my/ou of my/our child to determine whether he/s the program.	- · ·	
I/we agree to abide by all supervisory and certification.	depth limitations that may accompany	my/our child's PADI
I/we understand that PADI certifies instruction oped by PADI.	ctors/dive centers and provides materia	als for programs devel-
I/we understand that the dive center/resorvision of this activity	rt and the instructor are responsible fo	r the conduct and super
I/we understand my responsibilities and tl ties and Risk video or flip chart.	nose of my child as set forth in the You	th Diving Responsibili-
I/we have read this Acknowledgment, und and agree that this Acknowledgment is a b facility and PADI.	S .	
Parent/Guardian Name	Parent/Guardian Signature	(Day/Month/Year)
Participant/Minor Name	Participant/Minor Signature	(Day/Month/Year)

Product No. 10615 (11/05) Version 2.01 © PADI 2005